


Terminal de Cobre para Cable Flexible


Descripción

Terminal para cable flexible fabricado en cobre electrolítico con un acabado estañado para mejorar el contacto eléctrico. Abertura adecuada para cables flexibles.




CÓDIGO	REFERENCIA	SECCIÓN (mm²)	ØE (mm)	ØD (mm)	Ød (mm)	W (mm)	B (mm)	L (mm)
7102000605	AF-6-5	6	5.3	5.9	4.0	10.0	18.5	33.6
7102000606	AF-6-6		6.5	5.9	4.0	11.0	18.5	33.6
7102000608	AF-6-8		8.3	5.9	4.0	12.5	18.5	36.3
7102000610	AF-6-10		10.3	6.2	4.0	15.0	18.5	37.3
7102001005	AF-10-5	10	5.3	6.6	4.5	11.0	22.0	39.0
7102001006	AF-10-6		6.5	6.6	4.5	11.0	22.0	39.0
7102001008	AF-10-8		8.3	6.6	4.5	12.5	22.0	39.0
7102001010	AF-10-10		10.3	6.9	4.5	16.0	22.0	43.1
7102001012	AF-10-12		12.7	6.9	4.5	18.0	21.0	43.1
7102001605	AF-16-5	16	5.3	7.5	5.5	11.0	23.0	39.7
7102001606	AF-16-6		6.5	7.5	5.5	11.0	23.0	39.7
7102001608	AF-16-8		8.3	7.5	5.5	12.5	22.0	39.7
7102001610	AF-16-10		10.3	7.5	5.5	16.0	23.0	44.9
7102001612	AF-16-12		12.7	8.1	5.5	18.0	22.0	44.9
7102002505	AF-25-5	25	5.3	9.1	6.7	13.0	28.0	47.2
7102002506	AF-25-6		6.5	9.1	6.7	13.0	28.0	47.2
7102002508	AF-25-8		8.3	9.1	6.7	13.0	28.0	47.2
7102002510	AF-25-10		10.3	9.1	6.7	16.0	29.0	51.9
7102002512	AF-25-12		12.7	9.1	6.7	18.0	28.0	51.9
7102002514	AF-25-14		14.8	9.1	6.7	20.0	28.0	53.9
7102003505	AF-35-5	35	5.3	11.0	8.6	16.0	31.0	52.6
7102003506	AF-35-6		6.5	11.0	8.6	16.0	31.0	52.6
7102003508	AF-35-8		8.3	11.0	8.6	16.0	31.0	52.6
7102003510	AF-35-10		10.3	11.0	8.6	17.0	31.0	56.5
7102003512	AF-35-12		12.7	11.0	8.6	18.0	31.0	56.5
7102003514	AF-35-14		14.8	11.0	8.6	20.0	31.0	58.5
7102003516	AF-35-16		16.5	11.0	8.6	23.0	31.0	60.5

Terminal de Cobre
para Cable Flexible



CÓDIGO	REFERENCIA	SECCIÓN (mm²)	ØE (mm)	ØD (mm)	Ød (mm)	W (mm)	B (mm)	L (mm)
7102005005	AF-50-5	50	5.3	12.4	9.5	18.0	32.0	56.0
7102005006	AF-50-6		6.5	12.4	9.5	18.0	32.0	56.0
7102005008	AF-50-8		8.3	12.4	9.5	18.0	32.0	56.0
7102005010	AF-50-10		10.3	12.4	9.5	18.0	32.0	59.0
7102005012	AF-50-12		12.7	12.4	9.5	19.0	32.0	59.0
7102005014	AF-50-14		14.8	12.4	9.5	21.0	34.0	67.8
7102005016	AF-50-16		16.5	12.4	9.5	23.0	34.0	67.8
7102007005	AF-70-5	70	5.3	15.0	12.0	22.0	36.5	67.4
7102007006	AF-70-6		6.3	15.0	12.0	22.0	36.5	67.4
7102007008	AF-70-8		8.3	15.0	12.0	22.0	36.5	67.4
7102007010	AF-70-10		10.3	15.0	12.0	22.0	36.5	67.4
7102007012	AF-70-12		12.7	15.0	12.0	22.0	36.5	67.4
7102007014	AF-70-14		14.8	15.0	12.0	22.0	36.5	70.0
7102007016	AF-70-16		16.5	15.0	12.0	24.0	35.0	70.0
7102009508	AF-95-8	95	8.3	17.0	13.4	25.0	37.5	69.7
7102009510	AF-95-10		10.3	17.0	13.4	25.0	37.5	69.7
7102009512	AF-95-12		12.7	17.0	13.4	25.0	37.5	69.7
7102009514	AF-95-14		14.8	17.0	13.4	25.0	37.5	73.3
7102009516	AF-95-16		16.8	17.0	13.4	25.0	37.5	73.3
7102009520	AF-95-20		20.9	17.0	13.4	28.0	34.5	73.3
7102012008	AF-120-8	120	8.3	19.0	15.0	27.5	38.0	75.0
7102012010	AF-120-10		10.3	19.0	15.0	27.5	38.0	75.0
7102012012	AF-120-12		12.7	19.0	15.0	27.5	38.0	75.0
7102012014	AF-120-14		14.8	19.0	15.0	27.5	38.0	79.0
7102012016	AF-120-16		16.5	19.0	15.0	27.5	38.0	79.0
7102012020	AF-120-20		20.9	19.0	15.0	27.5	38.0	79.0
7102015010	AF-150-10	150	10.3	21.2	16.5	30.8	42.0	82.0
7102015012	AF-150-12		12.7	21.2	16.5	30.8	42.0	82.0
7102015014	AF-150-14		14.8	21.2	16.5	30.8	42.0	82.0
7102015016	AF-150-16		16.5	21.2	16.5	30.8	42.0	86.4
7102015020	AF-150-20		20.9	21.2	16.5	30.8	42.0	86.4
7102018510	AF-185-10	185	10.3	23.0	19.0	34.0	45.0	88.0
7102018512	AF-185-12		12.7	23.0	19.0	34.0	45.0	88.0
7102018514	AF-185-14		14.8	23.0	19.0	34.0	45.0	88.0
7102018516	AF-185-16		16.5	23.0	19.0	34.0	45.0	91.2
7102018520	AF-185-20		20.9	23.0	19.0	34.0	45.0	91.2

Terminal de Cobre para Cable Flexible



CÓDIGO	REFERENCIA	SECCIÓN (mm²)	ØE (mm)	ØD (mm)	Ød (mm)	W (mm)	B (mm)	L (mm)
7102024010	AF-240-10	240	10.3	26.5	21.0	38.6	53.0	106.4
7102024012	AF-240-12		12.7	26.5	21.0	38.6	53.0	106.4
7102024014	AF-240-14		14.8	26.5	21.0	38.6	53.0	106.4
7102024016	AF-240-16		16.5	26.5	21.0	38.6	53.0	106.4
7102024020	AF-240-20		20.9	26.5	21.0	38.6	53.0	106.4
7102030012	AF-300-12	300	12.7	30.0	24.5	43.8	57.0	113.0
7102030014	AF-300-14		14.8	30.0	24.5	43.8	57.0	113.0
7102030016	AF-300-16		16.5	30.0	24.5	43.8	57.0	113.0
7102030020	AF-300-20		20.9	30.0	24.5	43.8	57.0	113.0
7102040012	AF-400-12	400	12.7	35.0	27.0	49.0	59.0	119.0
7102040014	AF-400-14		14.8	35.0	27.0	49.0	59.0	119.0
7102040016	AF-400-16		16.5	35.0	27.0	49.0	59.0	119.0
7102040020	AF-400-20		20.9	35.0	27.0	49.0	59.0	119.0