

Crimping Tool for Insulated Terminal

Description

Crimping tools for insulated terminals, with an ergonomic design that helps save time and effort. Manufactured to high quality standards, ensuring precise crimping operations.



Features

| CODE | REFERENCE | CRIMPING RANGE (mm ²) | LENGTH (mm) |
|------------|-----------|---|----------------|
| 7070102002 | IT 30J | 0,5-6 | 230 |
| 7070102004 | IT 40J | 0,25-6 | 230 |
| 7070102006 | IT1 30J | 0,5-6 | 210 |
| 7070102008 | IT2 30J | 0,5-6 | 220 |
| 7070102012 | IT 06WF2C | 0,5-2,5 cord end terminals 1,5-2,5 insulated terminals | 230 |

Logistics Information



| CODE | REFERENCE | INNER BOX | | | OUTER BOX | | | SALES MULTIPLE (un) |
|------------|-----------|------------------|----------------|--------------------|------------------|----------------|--------------------|---------------------------|
| | | QUANTITY (un) | WEIGHT (kg) | DIMENSIONS (cm) | QUANTITY (un) | WEIGHT (kg) | DIMENSIONS (cm) | |
| 7070102002 | IT 30J | 1 | 0,650 | 24,4x8,4x4 | 40 | 26,0 | 46x26x38,5 | 1 |
| 7070102004 | IT 40J | 1 | 0,650 | 24,5x8,3x4 | 40 | 26,0 | 46x26x38,5 | 1 |
| 7070102006 | IT1 30J | 1 | 0,650 | 21,6x9,7x3,7 | 40 | 26,0 | 42,5x23,7x43,5 | 1 |
| 7070102008 | IT2 30J | 1 | 0,650 | 24,5x8,3x4 | 40 | 26,0 | 46x26x38,5 | 1 |
| 7070102012 | IT 06WF2C | 1 | 0,650 | 24,5x8,3x4 | 40 | 26,0 | 46x26x38,5 | 1 |

IT 30J




230 mm

IT 40J




230 mm

IT1 30J




0.5-6
mm²




210 mm

IT2 30J





0.5-6
mm²



220 mm

IT 06WF2C



230 mm

Packaging

This images are merely illustratives. We want you to see the importance we attach to the packaging.
We always work with products and materials that are easy to use.

