

Buckle Cable Tie



Description

The Arvi buckle cable tie is designed for strong and secure bundling of cables or pipes. Its serrated band enhances grip, and the reusable stainless steel buckle ensures fast, efficient, and corrosion-resistant fastening. Suitable for indoor and outdoor use, including harsh industrial and marine environments.

Available Certifications




Features




Product Properties

PROPERTY	VALUE
Material – Band	Polyamide PA66
Material – Buckle	Stainless Steel (304)
Operating Temperature	-40 °C to +85 °C
Flammability Rating	UL94 V2
UV Resistance	Yes
Halogen Free	Yes
Flame Retardant	Yes
Color	Natural / Black (RAL 9005)

Technical Drawing A



Technical Drawing B



Buckle Cable Tie



Product Properties

CODE	REFERENCE	COLOR	WIDTH (mm)	LENGTH (mm)	THICKNESS (mm)	MAX. Ø BUNDLE (mm)	TENSILE STRENGTH (N)	TYPE
7020112010	PV-025-100-N	Natural	2,5	100,0	3,0	20,5	80	A
7020112015	PV-025-150-N	Natural	2,5	150,0	3,0	36,5	80	A
7020112016	PV-025-160-N	Natural	2,5	160,0	3,0	39,8	80	A
7020112020	PV-025-200-N	Natural	2,5	200,0	3,0	52,5	80	A
7020112026	PV-025-260-N	Natural	2,5	260,0	3,0	73,0	80	A
7020113014	PV-036-140-N	Natural	3,6	140,0	3,5	33,0	180	A
7020113015	PV-036-150-N	Natural	3,6	150,0	3,5	36,0	180	A
7020113020	PV-036-200-N	Natural	3,6	200,0	3,5	52,5	180	A
7020113025	PV-036-250-N	Natural	3,6	250,0	3,5	68,0	180	A
7020113028	PV-036-280-N	Natural	3,6	280,0	3,5	78,0	180	A
7020113030	PV-036-300-N	Natural	3,6	300,0	3,5	84,0	180	A
7020113037	PV-036-370-N	Natural	3,6	370,0	3,5	106,0	180	A
7020114016	PV-046-160-N	Natural	4,6	160,0	3,5	36,6	230	A
7020114020	PV-048-200-N	Natural	4,8	200,0	3,5	49,5	230	A
7020114025	PV-048-250-N	Natural	4,8	250,0	3,5	65,0	230	A
7020114028	PV-048-280-N	Natural	4,8	280,0	3,5	74,8	230	A
7020114030	PV-048-300-N	Natural	4,8	300,0	3,5	81,0	230	A
7020114035	PV-048-350-N	Natural	4,8	350,0	3,5	97,0	230	A
7020114038	PV-048-380-N	Natural	4,8	380,0	3,5	106,7	230	A
7020114039	PV-048-390-N	Natural	4,8	390,0	3,5	110,0	230	A
7020114043	PV-048-430-N	Natural	4,8	430,0	3,5	122,5	230	A
7020114045	PV-048-450-N	Natural	4,8	450,0	3,5	129,0	230	A
7020114050	PV-048-500-N	Natural	4,8	500,0	3,5	145,0	230	A
7020117020	PV-076-200-N	Natural	7,6	200,0	8,5	50,9	540	B
7020117025	PV-076-250-N	Natural	7,6	250,0	8,5	66,8	540	B
7020117030	PV-076-300-N	Natural	7,6	300,0	8,5	82,8	540	B
7020117035	PV-076-350-N	Natural	7,6	350,0	8,5	98,5	540	B
7020117036	PV-076-365-N	Natural	7,6	365,0	8,5	103,5	540	B
7020117038	PV-076-380-N	Natural	7,6	380,0	8,5	108,0	540	B
7020117040	PV-076-400-N	Natural	7,6	400,0	8,5	114,5	540	B
7020117045	PV-076-450-N	Natural	7,6	450,0	8,5	130,5	540	B
7020117054	PV-076-540-N	Natural	7,6	540,0	8,5	159,0	540	B
7020117055	PV-076-550-N	Natural	7,6	550,0	8,5	162,5	540	B
7020117061	PV-076-610-N	Natural	7,6	610,0	8,5	181,5	540	B

Buckle Cable Tie



Product Properties

CODE	REFERENCE	COLOR	WIDTH (mm)	LENGTH (mm)	THICKNESS (mm)	MAX. Ø BUNDLE (mm)	TENSILE STRENGTH (N)	TYPE
7020117075	PV-076-750-N	Natural	7,6	750,0	8,5	226,0	540	B
7020119050	PV-090-500-N	Natural	9,0	500,0	8,5	146,5	800	B
7020119055	PV-090-550-N	Natural	9,0	550,0	8,5	163,5	800	B
7020119061	PV-090-610-N	Natural	9,0	610,0	8,5	181,5	800	B
7020119071	PV-090-710-N	Natural	9,0	710,0	8,5	195,0	800	B
7020119075	PV-090-750-N	Natural	9,0	750,0	8,5	205,0	800	B
7020119081	PV-090-810-N	Natural	9,0	810,0	8,5	245,0	800	B
7020119092	PV-090-920-N	Natural	9,0	920,0	8,5	280,0	800	B
7020119102	PV-090-1020-N	Natural	9,0	1020,0	8,5	295,0	800	B
7020119122	PV-090-1220-N	Natural	9,0	1220,0	78,0	375,5	800	B
7020119153	PV-090-1530-N	Natural	9,0	1530,0	160,0	450,0	800	B
7020122010	PV-025-100-P	Black	2,5	100,0	3,0	20,5	80	B
7020122015	PV-025-150-P	Black	2,5	150,0	3,0	36,5	80	B
7020122016	PV-025-160-P	Black	2,5	160,0	3,0	39,8	80	B
7020122020	PV-025-200-P	Black	2,5	200,0	3,0	52,5	80	B
7020122026	PV-025-260-P	Black	2,5	260,0	3,0	73,0	80	B
7020123014	PV-036-140-P	Black	3,6	140,0	3,5	33,0	180	B
7020123015	PV-036-150-P	Black	3,6	150,0	3,5	36,0	180	B
7020123020	PV-036-200-P	Black	3,6	200,0	3,5	52,5	180	B
7020123025	PV-036-250-P	Black	3,6	250,0	3,5	68,0	180	B
7020123028	PV-036-280-P	Black	3,6	280,0	3,5	78,0	180	B
7020123030	PV-036-300-P	Black	3,6	300,0	3,5	84,0	180	B
7020123037	PV-036-370-P	Black	3,6	370,0	3,5	106,0	180	B
7020124016	PV-046-160-P	Black	4,6	160,0	3,5	36,6	230	B
7020124020	PV-048-200-P	Black	4,8	200,0	3,5	49,5	230	B
7020124025	PV-048-250-P	Black	4,8	250,0	3,5	65,0	230	B
7020124028	PV-048-280-P	Black	4,8	280,0	3,5	74,8	230	B
7020124030	PV-048-300-P	Black	4,8	300,0	3,5	81,0	230	B
7020124035	PV-048-350-P	Black	4,8	350,0	3,5	97,0	230	B
7020124038	PV-048-380-P	Black	4,8	380,0	3,5	106,7	230	B
7020124039	PV-048-390-P	Black	4,8	390,0	3,5	110,0	230	B
7020124043	PV-048-430-P	Black	4,8	430,0	3,5	122,5	230	B

Buckle Cable Tie



Product Properties

CODE	REFERENCE	COLOR	WIDTH (mm)	LENGTH (mm)	THICKNESS (mm)	MAX. Ø BUNDLE (mm)	TENSILE STRENGTH (N)	TYPE
7020124045	PV-048-450-P	Black	4,8	450,0	3,5	129,0	230	B
7020124050	PV-048-500-P	Black	4,8	500,0	3,5	145,0	230	B
7020127020	PV-076-200-P	Black	7,6	200,0	8,5	50,9	540	B
7020127025	PV-076-250-P	Black	7,6	250,0	8,5	66,8	540	B
7020127030	PV-076-300-P	Black	7,6	300,0	8,5	82,8	540	B
7020127035	PV-076-350-P	Black	7,6	350,0	8,5	98,5	540	B
7020127036	PV-076-365-P	Black	7,6	365,0	8,5	103,5	540	B
7020127038	PV-076-380-P	Black	7,6	380,0	8,5	108,0	540	B
7020127040	PV-076-400-P	Black	7,6	400,0	8,5	114,5	540	B
7020127045	PV-076-450-P	Black	7,6	450,0	8,5	130,5	540	B
7020127054	PV-076-540-P	Black	7,6	540,0	8,5	159,0	540	B
7020127055	PV-076-550-P	Black	7,6	550,0	8,5	162,5	540	B
7020127061	PV-076-610-P	Black	7,6	610,0	8,5	181,5	540	B
7020127075	PV-076-750-P	Black	7,6	750,0	8,5	226,0	540	B
7020129050	PV-090-500-P	Black	9,0	500,0	8,5	146,5	800	B
7020129055	PV-090-550-P	Black	9,0	550,0	8,5	163,5	800	B
7020129061	PV-090-610-P	Black	9,0	610,0	8,5	181,5	800	B
7020129071	PV-090-710-P	Black	9,0	710,0	8,5	195,0	800	B
7020129075	PV-090-750-P	Black	9,0	750,0	8,5	205,0	800	B
7020129081	PV-090-810-P	Black	9,0	810,0	8,5	245,0	800	B
7020129092	PV-090-920-P	Black	9,0	920,0	8,5	280,0	800	B
7020129102	PV-090-1020-P	Black	9,0	1020,0	8,5	295,0	800	B
7020129122	PV-090-1220-P	Black	9,0	1220,0	78,0	375,5	800	B
7020129153	PV-090-1530-P	Black	9,0	1530,0	160,0	450,0	800	B

Buckle Cable Tie



Product Packaging



Logistics Information

CODE	REFERENCE	EAN CODE	BAG			BOX		
			QTY (PCS)	DIMENSIONS (cm)	WEIGHT (kg)	QTY (PCS)	DIMENSIONS (cm)	WEIGHT (kg)
7020112010	PV-025-100-N	5608445029928	100	9,5x19,0	0,03	50000	55,0x40,0x24,0	14,90
7020112015	PV-025-150-N	5608445029935	100	9,5x25,0	0,04	25000	55,0x40,0x17,0	11,30
7020112016	PV-025-160-N	5608445029942	100	9,5x25,0	0,05	25000	55,0x40,0x17,0	12,40
7020112020	PV-025-200-N	5608445029959	100	9,5x31,0	0,06	25000	55,0x40,0x21,0	15,50
7020112026	PV-025-260-N	5608445029966	100	9,5x38,0	0,08	20000	55,0x40,0x26,0	17,20
7020113014	PV-036-140-N	5608445029973	100	11,5x24,0	0,07	25000	55,0x40,0x24,0	17,50
7020113015	PV-036-150-N	5608445029980	100	11,5x24,0	0,07	20000	55,0x40,0x21,0	14,80
7020113020	PV-036-200-N	5608445029997	100	11,5x31,0	0,09	20000	55,0x40,0x24,0	19,50
7020113025	PV-036-250-N	5608445030009	100	11,5x36,0	0,12	10000	55,0x40,0x15,0	12,80
7020113028	PV-036-280-N	5608445030016	100	11,5x39,0	0,13	10000	55,0x40,0x17,0	13,50
7020113030	PV-036-300-N	5608445030023	100	11,5x41,0	0,14	10000	55,0x40,0x20,0	15,30
7020113037	PV-036-370-N	5608445030030	100	11,5x48,0	0,17	10000	55,0x40,0x21,0	17,87
7020114016	PV-046-160-N	5608445030047	100	14,0x27,0	0,10	10000	55,0x40,0x15,0	10,50
7020114020	PV-048-200-N	5608445030054	100	14,0x31,0	0,12	10000	55,0x40,0x19,0	13,50
7020114025	PV-048-250-N	5608445030061	100	14,0x36,0	0,17	10000	55,0x40,0x21,0	17,50
7020114028	PV-048-280-N	5608445030078	100	14,0x39,0	0,19	10000	55,0x40,0x24,0	19,50
7020114030	PV-048-300-N	5608445030085	100	14,0x39,0	0,19	10000	55,0x40,0x24,0	20,30
7020114035	PV-048-350-N	5608445030092	100	14,0x46,0	0,24	5000	55,0x40,0x15,0	12,60
7020114038	PV-048-380-N	5608445030108	100	14,0x49,0	0,25	5000	55,0x40,0x17,0	13,21
7020114039	PV-048-390-N	5608445030115	100	14,0x51,0	0,26	5000	55,0x40,0x17,0	13,80

Buckle Cable Tie



Logistics Information

CODE	REFERENCE	EAN CODE	BAG			BOX		
			QTY (PCS)	DIMENSIONS (cm)	WEIGHT (kg)	QTY (PCS)	DIMENSIONS (cm)	WEIGHT (kg)
7020114043	PV-048-430-N	5608445030122	100	14,0x54,0	0,29	5000	55,0x40,0x19,0	15,50
7020114045	PV-048-450-N	5608445030139	100	14,0x56,0	0,29	5000	55,0x40,0x19,0	15,50
7020114050	PV-048-500-N	5608445030146	100	14,0x63,0	0,32	5000	62,0x32,0x23,0	17,00
7020117020	PV-076-200-N	5608445030153	100	16,0x33,0	0,25	5000	55,0x40,0x17,0	13,00
7020117025	PV-076-250-N	5608445030160	100	16,0x38,0	0,29	5000	55,0x40,0x20,0	15,50
7020117030	PV-076-300-N	5608445030177	100	16,0x44,0	0,37	5000	55,0x40,0x22,0	19,50
7020117035	PV-076-350-N	5608445030184	100	16,0x48,0	0,43	5000	55,0x40,0x24,0	22,50
7020117036	PV-076-365-N	5608445030191	100	16,0x51,0	0,45	5000	55,0x40,0x26,0	23,20
7020117038	PV-076-380-N	5608445030207	100	16,0x51,0	0,45	5000	55,0x40,0x26,0	23,76
7020117040	PV-076-400-N	5608445030214	100	16,0x54,0	0,47	2500	55,0x40,0x17,0	12,50
7020117045	PV-076-450-N	5608445030221	100	16,0x59,0	0,57	2000	55,0x40,0x15,0	12,00
7020117054	PV-076-540-N	5608445030238	100	16,0x68,0	0,71	1000	64,0x30,0x11,0	7,50
7020117055	PV-076-550-N	5608445030245	100	16,0x68,0	0,71	1000	64,0x30,0x11,0	7,62
7020117061	PV-076-610-N	5608445030252	100	16,0x75,0	0,78	1000	74,0x30,0x12,0	8,50
7020117075	PV-076-750-N	5608445030269	100	16,0x90,0	0,94	1000	84,0x19,0x18,0	10,80
7020119050	PV-090-500-N	5608445030276	100	20,0x63,0	0,75	1000	60,0x32,0x12,5	8,10
7020119055	PV-090-550-N	5608445030283	100	20,0x70,0	0,88	1000	65,0x30,0x13,0	9,40
7020119061	PV-090-610-N	5608445030290	100	20,0x75,0	0,95	1000	74,0x30,0x14,5	10,35
7020119071	PV-090-710-N	5608445030306	100	20,0x85,0	1,15	1000	80,0x28,0x15,0	12,20
7020119075	PV-090-750-N	5608445030313	100	20,0x90,0	1,19	1000	80,0x28,0x15,0	13,00
7020119081	PV-090-810-N	5608445030320	100	20,0x96,0	1,29	1000	94,0x25,0x15,5	14,00
7020119092	PV-090-920-N	5608445030337	100	20,0x107,0	1,48	1000	103,0x26,0x14,5	15,50
7020119102	PV-090-1020-N	5608445030344	100	20,0x117,0	1,64	1000	113,0x28,0x15,0	17,40
7020119122	PV-090-1220-N	5608445030351	100	20,0x139,0	1,98	1000	138,0x24,0x16,5	20,80
7020119153	PV-090-1530-N	5608445030368	100	20,0x172,0	2,43	1000	167,0x24,0x15,5	25,80
7020122010	PV-025-100-P	5608445030375	100	9,5x19,0	0,03	50000	55,0x40,0x24,0	14,90
7020122015	PV-025-150-P	5608445030382	100	9,5x25,0	0,04	25000	55,0x40,0x17,0	11,30
7020122016	PV-025-160-P	5608445030399	100	9,5x25,0	0,05	25000	55,0x40,0x17,0	12,40
7020122020	PV-025-200-P	5608445030405	100	9,5x31,0	0,06	25000	55,0x40,0x21,0	15,50
7020122026	PV-025-260-P	5608445030412	100	9,5x38,0	0,08	20000	55,0x40,0x26,0	17,20
7020123014	PV-036-140-P	5608445030429	100	11,5x24,0	0,07	25000	55,0x40,0x24,0	17,50
7020123015	PV-036-150-P	5608445030436	100	11,5x24,0	0,07	20000	55,0x40,0x21,0	14,80

Buckle Cable Tie



Logistics Information

CODE	REFERENCE	EAN CODE	BAG			BOX		
			QTY (PCS)	DIMENSIONS (cm)	WEIGHT (kg)	QTY (PCS)	DIMENSIONS (cm)	WEIGHT (kg)
7020123020	PV-036-200-P	5608445030443	100	11,5x31,0	0,09	20000	55,0x40,0x24,0	19,50
7020123025	PV-036-250-P	5608445030450	100	11,5x36,0	0,12	10000	55,0x40,0x15,0	12,80
7020123028	PV-036-280-P	5608445030467	100	11,5x39,0	0,13	10000	55,0x40,0x17,0	13,50
7020123030	PV-036-300-P	5608445030474	100	11,5x41,0	0,14	10000	55,0x40,0x20,0	15,30
7020123037	PV-036-370-P	5608445030481	100	11,5x48,0	0,17	10000	55,0x40,0x21,0	17,87
7020124016	PV-046-160-P	5608445030498	100	14,0x27,0	0,10	10000	55,0x40,0x15,0	10,50
7020124020	PV-048-200-P	5608445030504	100	14,0x31,0	0,12	10000	55,0x40,0x19,0	13,50
7020124025	PV-048-250-P	5608445030511	100	14,0x36,0	0,17	10000	55,0x40,0x21,0	17,50
7020124028	PV-048-280-P	5608445030528	100	14,0x39,0	0,19	10000	55,0x40,0x24,0	19,50
7020124030	PV-048-300-P	5608445030535	100	14,0x39,0	0,19	10000	55,0x40,0x24,0	20,30
7020124035	PV-048-350-P	5608445030542	100	14,0x46,0	0,24	5000	55,0x40,0x15,0	12,60
7020124038	PV-048-380-P	5608445030559	100	14,0x49,0	0,25	5000	55,0x40,0x17,0	13,21
7020124039	PV-048-390-P	5608445030566	100	14,0x51,0	0,26	5000	55,0x40,0x17,0	13,80
7020124043	PV-048-430-P	5608445030573	100	14,0x54,0	0,29	5000	55,0x40,0x19,0	15,50
7020124045	PV-048-450-P	5608445030580	100	14,0x56,0	0,29	5000	55,0x40,0x19,0	15,50
7020124050	PV-048-500-P	5608445030597	100	14,0x63,0	0,32	5000	62,0x32,0x23,0	17,00
7020127020	PV-076-200-P	5608445030603	100	16,0x33,0	0,25	5000	55,0x40,0x17,0	13,00
7020127025	PV-076-250-P	5608445030610	100	16,0x38,0	0,29	5000	55,0x40,0x20,0	15,50
7020127030	PV-076-300-P	5608445030627	100	16,0x44,0	0,37	5000	55,0x40,0x22,0	19,50
7020127035	PV-076-350-P	5608445030634	100	16,0x48,0	0,43	5000	55,0x40,0x24,0	22,50
7020127036	PV-076-365-P	5608445030641	100	16,0x51,0	0,45	5000	55,0x40,0x26,0	23,20
7020127038	PV-076-380-P	5608445030658	100	16,0x51,0	0,45	5000	55,0x40,0x26,0	23,76
7020127040	PV-076-400-P	5608445030665	100	16,0x54,0	0,47	2500	55,0x40,0x17,0	12,50
7020127045	PV-076-450-P	5608445030672	100	16,0x59,0	0,57	2000	55,0x40,0x15,0	12,00
7020127054	PV-076-540-P	5608445030689	100	16,0x68,0	0,71	1000	64,0x30,0x11,0	7,50
7020127055	PV-076-550-P	5608445030696	100	16,0x68,0	0,71	1000	64,0x30,0x11,0	7,62
7020127061	PV-076-610-P	5608445030702	100	16,0x75,0	0,78	1000	74,0x30,0x12,0	8,50
7020127075	PV-076-750-P	5608445030719	100	16,0x90,0	0,94	1000	84,0x19,0x18,0	10,80
7020129050	PV-090-500-P	5608445030726	100	20,0x63,0	0,75	1000	60,0x32,0x12,5	8,10
7020129055	PV-090-550-P	5608445030733	100	20,0x70,0	0,88	1000	65,0x30,0x13,0	9,40
7020129061	PV-090-610-P	5608445030740	100	20,0x75,0	0,95	1000	74,0x30,0x14,5	10,35
7020129071	PV-090-710-P	5608445030757	100	20,0x85,0	1,15	1000	80,0x28,0x15,0	12,20

Buckle Cable Tie



Logistics Information

CODE	REFERENCE	EAN CODE	BAG			BOX		
			QTY (PCS)	DIMENSIONS (cm)	WEIGHT (kg)	QTY (PCS)	DIMENSIONS (cm)	WEIGHT (kg)
7020129075	PV-090-750-P	5608445030764	100	20,0x90,0	1,19	1000	80,0x28,0x15,0	13,00
7020129081	PV-090-810-P	5608445030771	100	20,0x96,0	1,29	1000	94,0x25,0x15,5	14,00
7020129092	PV-090-920-P	5608445030788	100	20,0x107,0	1,48	1000	103,0x26,0x14,5	15,50
7020129102	PV-090-1020-P	5608445030795	100	20,0x117,0	1,64	1000	113,0x28,0x15,0	17,40
7020129122	PV-090-1220-P	5608445030801	100	20,0x139,0	1,98	1000	138,0x24,0x16,5	20,80
7020129153	PV-090-1530-P	5608445030818	100	20,0x172,0	2,43	1000	167,0x24,0x15,5	25,80