# Fiberglass Fish **Tape with Car**

### **Description**

Fiberglass Fish Tape are designed for installations in conduits with difficult access. Their lightweight, flexibility, and corrosion resistance ensure high durability and performance in demanding environments. The reel facilitates the unwinding of the Fish Tape, providing greater efficiency. This model is equipped with interchangeable tips, including an M6 eyelet hook, ensuring practicality and efficiency.



#### **Product Specifications**

#### PROPERTY STANDARD VALUE

Interior   Fiberglass							
Exterior         Polypropylene           Car Material         Steel           Color         Red           RAL         3003           Durabilty         Very Good           Ø Car Diameter (mm)         520         720         1000         1400           Ø Fish Tape Diameter (mm)         6         9         11         15           Ø Tube (mm)         30-80         60-120         80-160         180-400           Break Load (kg)         2000         4300         6200         14000           Pulling Resistance (kg)         290         460         580         690	Fish Tape Material	Interior Fiberglass					
Color       Red         RAL       3003         Durabilty       Very Good         Ø Car Diameter (mm)       520       720       1000       1400         Ø Fish Tape Diameter (mm)       6       9       11       15         Ø Tube (mm)       30-80       60-120       80-160       180-400         Break Load (kg)       2000       4300       6200       14000         Pulling Resistance (kg)       290       460       580       690		Exterior	Exterior Polypropylene				
RAL       3003         Durabilty       Very Good         Ø Car Diameter (mm)       520       720       1000       1400         Ø Fish Tape Diameter (mm)       6       9       11       15         Ø Tube (mm)       30-80       60-120       80-160       180-400         Break Load (kg)       2000       4300       6200       14000         Pulling Resistance (kg)       290       460       580       690	Car Material	Steel					
Durabilty         Very Good           Ø Car Diameter (mm)         520         720         1000         1400           Ø Fish Tape Diameter (mm)         6         9         11         15           Ø Tube (mm)         30-80         60-120         80-160         180-400           Break Load (kg)         2000         4300         6200         14000           Pulling Resistance (kg)         290         460         580         690	Color	Red					
Ø Car Diameter (mm)         520         720         1000         1400           Ø Fish Tape Diameter (mm)         6         9         11         15           Ø Tube (mm)         30-80         60-120         80-160         180-400           Break Load (kg)         2000         4300         6200         14000           Pulling Resistance (kg)         290         460         580         690	RAL	3003					
Ø Fish Tape Diameter (mm)     6     9     11     15       Ø Tube (mm)     30-80     60-120     80-160     180-400       Break Load (kg)     2000     4300     6200     14000       Pulling Resistance (kg)     290     460     580     690	Durabilty	Very Good					
Ø Tube (mm)     30-80     60-120     80-160     180-400       Break Load (kg)     2000     4300     6200     14000       Pulling Resistance (kg)     290     460     580     690	Ø Car Diameter (mm)	520	720	1000	1400		
Break Load (kg)         2000         4300         6200         14000           Pulling Resistance (kg)         290         460         580         690	Ø Fish Tape Diameter (mm)	6	9	11	15		
Pulling Resistance (kg) 290 460 580 690	Ø Tube (mm)	30-80	60-120	80-160	180-400		
	Break Load (kg)	2000	4300	6200	14000		
Turning Radius (mm) 400 620 770 1200	Pulling Resistance (kg)	290	460	580	690		
	Turning Radius (mm)	400	620	770	1200		



# Fiberglass Fish Tape with Car



# **Compatible Terminations**

CODE	CODE DESCRIPTION		DIAMETER (Ø)	INFORMATION
7081106506	Threaded Bushing M6	CRM6-6		
7081100206	Union Joint	JU-6		
7081106112	Eyelet M6	OM6-12		
7191106310	Flexible Spring M6	MFM6-10	6	
7081106100	Engaging Eyelet M6	OEM6		
7081106625	Guiding Pulley M6	RM6-25		
7081112509	Threaded Bushing M12	CRM12-9		
7081100209	Union Joint	JU-9		
7081112100	Engaging Eyelet M12	OEM12	9	
7081112670	Guiding Pulley M12	RM12-50		
7081112925	Swivel Union M12	UGM12-25		
7081112511	Threaded Bushing M12	CRM12-11		For more details about these
7081100211	Union Joint	JU-11		products, please refer to the corresponding technical
7081112100	Engaging Eyelet M12	OEM12	11	datasheet.
7081106625	Guiding Pulley M6	RM6-25		
7081112925	Swivel Union M12	UGM12-25		
7081112515	Threaded Bushing M12	CRM12-15		
7081116515	Threaded Bushing M16	CRM16-15		
7081100215	Union Joint	JU-15		
7081112930	Swivel Union M12	UGM12-30		
7081116930	Swivel Union M16	UGM16-30	15	
7081112100	Engaging Eyelet M12	OEM12		
7091216100	Engaging Eyelet M16	OEM16		
7081112670	Guiding Pulley M12	RM12-50		
7081116670	Guiding Pulley M16	RM16-70		





# Fiberglass Fish Tape with Car



# **Logistics Information**

CODE REFERENCE	DIAMETER	LENGHT (m)	UNIT	OUTER BOX		SALES	
	(Ø)		WEIGHT (kg)	QUANT. (un)	DIM. (mm)	MULTIPLE (un)	
7040613030	GFVVC6-30		30	6,8	1	660x300x570	
7040613040	GFVVC6-40		40	7,3	1	660x300x570	
7040613050	GFVVC6-50	6	50	7,9	1	660x300x570	
7040613060	GFVVC6-60		60	8,4	1	660x300x570	
7040613080	GFVVC6-80		80	9,5	1	660x300x570	
7040615040	GFVVC9-40		40	12,3	1	960x450x840	
7040615050	GFVVC9-50		50	13,20	1	960x450x840	
7040615060	GFVVC9-60		60	14,20	1	960x450x840	
7040615080	GFVVC9-80	9	80	16,10	1	960x450x840	
7040615100	GFVVC9-100		100	19,80	1	960x450x840	
7040615120	GFVVC9-120		120	21,80	1	960x450x840	1
7040616100	GFVVC11-100		100	31,60	1	1190x570x1030	
7040616120	GFVVC11-120		120	34,20	1	1190x570x1030	
7040616150	GFVVC11-150	44	150	38,60	1	1190x570x1030	
7040616200	GFVVC11-200	11	200	45,60	1	1190x570x1030	
7040616250	GFVVC11-250		250	53,20	1	1190x570x1030	
7040616300	GFVVC11-300		300	59,60	1	1190x570x1030	
7040617200	GFVVC15-200		200	101,30	1	-	
7040617300	GFVVC15-300	15	300	129,10	1	-	
7040617400	GFVVC15-400		400	157,20	1	-	